

10/669, 736

EAST BRS text search
JVC

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	135048	temperature adj sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 18:41
L2	81706	heat adj sink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 18:41
L3	19687	(resistance adj temperature) or RTD	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 18:42
L4	377	I1 and I2 and I3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 18:42
L5	154	I4 and (chip or die or (burn near oven))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 18:56
L6	1	I4 and lead and signal and socket and bore and flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 19:00
L7	14	("4791364" "4900948" "4969511" "4982153" "5001423" "5086269" "5164661" "5198752" "5198753" "5414370" "5582235" "5911897" "5977785" "6288371").PN.	USPAT	OR	OFF	2005/09/30 19:00
L8	1	(temperature and (detector or sensor) and (slide or slideable or slidable or sliding) and (heat adj sink) and socket and flange and resistance and signal and chip).clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/30 19:04
L9	1	(temperature and (detector or sensor) and (heat adj sink) and socket and flange and resistance and signal and chip).clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/30 19:04

10/669,736

EAST BRS-text
search frc

L10	1	(temperature and (detector or sensor) and (heat adj sink) and socket and flange and resistance and signal).clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/30 19:04
-----	---	---	------------------------------	----	-----	------------------

16/669, 736

Interference search
JK

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	1	(temperature and (detector or sensor) and (slide or slideable or slidable or sliding) and (heat adj sink) and socket and flange and resistance and signal and chip).clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/30 19:04
L9	1	(temperature and (detector or sensor) and (heat adj sink) and socket and flange and resistance and signal and chip).clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/30 19:04
L10	1	(temperature and (detector or sensor) and (heat adj sink) and socket and flange and resistance and signal).clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/30 19:04